



CO₂ COMPATIBLE PARTS LIST (R744)

www.hrponline.co.uk

NOVEMBER 2013

Better by degrees



Description	Page	Description	Page
B		S	
Ball Valves	05	Sight Glasses	05
C		Solenoid Coils	05
CO2 Manifolds	03	Solenoid Valves	05
CO2 Refrigerant	03	Sporlan Moisture Indicator Sight Glasses	05
CO2 Refrigerant Charging Gauge & Hose Kit	03	Sporlan Replaceable Filter Core Driers	04
CO2 Refrigerant Leak Detector	03	Sporlan VS Line Filter Drier Cores	04
Comparator	03	Sporlan VS Line Shell Internal Parts (Liquid)	04
Copper Fittings	02	Sporlan WEU Liquid Line Driers	04
Copper Tube	01	T	
D		Transducer	06
Danfoss AKVH EEV	06	V	
Danfoss Ball Valves	05	Vibration Eliminators	03
Danfoss DML Liquid Line Driers	04		
Danfoss Room & Case Controller	06		
Danfoss SGP N Moisture Indicator Sight Glasses	05		
Danfoss Solenoid Coils	05		
Danfoss Stainless Steel Solenoid Valves	05		
Driers	05		
E			
Electronic Expansion Valves	06		
F			
Filter Driers	04		
Flare Cap with O Ring	03		
H			
Henry Ball Valves	05		
Henry 'X' Series PRV	06		
K			
K65 Copper Fittings	02		
K65 Copper Tube	01		
L			
Liquid Line Driers	05		
O			
Oil	03		
P			
Pressure Relief Valves	06		

All information and prices in this brochure are for guidance only and do not form part of a contract. All prices, descriptions, and specifications are subject to change as a result of manufactures continuous product development and upgrade. All goods are supplied subject to HRP Terms and Conditions.

Save energy and protect the environment with our CO₂ solutions

Experience the Danfoss CO₂ expertise in Food Retail, Commercial and Industrial Refrigeration

up to 20%

energy savings

when choosing a suitable system with CO₂
compared to traditional systems with HFCs.

Trusted

in thousands of systems

Danfoss is present on the
majority of the installed
transcritical and cascade
systems.



K65 copper tube has been specially developed for the new generation of high pressure, environmentally friendly CO₂ refrigeration systems.

It includes a 2% iron content, so the tube has a greatly reduced wall thickness compared to traditional copper tube, yet is strong enough to withstand the increased pressures required by CO₂ systems.

There are two ranges available, the 80bar and 120bar which are both supplied in soft condition straight lengths, the tube is easy to bend but doesn't lose any of its pressure capabilities.

Safe working pressure calculation according to AD2000-Merkblatt; 150C, with $R_p1.0 = 140 \text{ MPa}$; $S = 1.5$; $v = 1.00$

K65 Straight Copper Tube for CO₂

Safe Working Pressure 80bar

OD Inches	Length metres	Wall (mm)	Weight (kg)	HRP Code	Sales Cat
1/2	6	0.60	1.22	143194	14A
5/8	6	0.75	1.90	143196	14A
3/4	6	0.90	2.74	143198	14A
7/8	6	1.00	3.56	143200	14A
1-1/8	6	1.30	5.95	143302	14A
1-3/8	6	1.60	7.25	143304	14A
1-5/8	6	1.90	10.54	143306	14A

K65 Straight Copper Tube for CO₂

Safe Working Pressure 120bar

OD Inches	Length metres	Wall (mm)	Weight (kg)	HRP Code	Sales Cat
3/8	5	0.65	0.81	143206	14A
1/2	5	0.85	1.41	143308	14A
5/8	5	1.05	2.18	143210	14A
3/4	5	1.30	3.23	143212	14A
7/8	5	1.50	4.35	143314	14A
1-1/8	5	1.90	7.09	143216	14A
1-3/8	5	2.30	10.50	143318	14A
1-5/8	5	2.70	14.58	143220	14A

K65 Copper Fittings



K65 Straight Socket Equal Female/Female - 120bar



Tube O.D.(")		HRP Code	Sales Cat
3/8	3/8	137048	13A
1/2	1/2	137050	13A
5/8	5/8	137052	13A
3/4	3/4	137054	13A
7/8	7/8	137056	13A
1-1/8	1-1/8	137058	13A
1-3/8	1-3/8	137060	13A
1-5/8	1-5/8	137132	13A

K65 90° Copper L/R Elbows Female/Female - 120bar



Tube O.D.(")		HRP Code	Sales Cat
3/8	3/8	137008	13A
1/2	1/2	137010	13A
5/8	5/8	137012	13A
3/4	3/4	137014	13A
7/8	7/8	137016	13A
1-1/8	1-1/8	137018	13A
1-3/8	1-3/8	137020	13A
1-5/8	1-5/8	137076	13A

K65 45° Copper Bends Male/Female - 120bar



Tube O.D.(")		HRP Code	Sales Cat
3/4	3/4	137104	13A
7/8	7/8	137106	13A
1-1/8	1-1/8	137108	13A
1-3/8	1-3/8	137110	13A
1-5/8	1-5/8	137112	13A

K65 Reducing Sockets Female/Female - 120bar



Tube O.D.(")		HRP Code	Sales Cat
1/2	3/8	137036	13A
5/8	1/2	137038	13A
3/4	5/8	137040	13A
7/8	3/4	137042	13A
1-1/8	7/8	137044	13A
1-3/8	1-1/8	137046	13A
1-5/8	1-3/8	137130	13A

K65 90° Copper L/R Elbows Male/Female - 120bar




Tube O.D.(")		HRP Code	Sales Cat
3/8	3/8	137078	13A
1/2	1/2	137080	13A
5/8	5/8	137082	13A
3/4	3/4	137084	13A
7/8	7/8	137086	13A
1-1/8	1-1/8	137088	13A
1-3/8	1-3/8	137090	13A
1-5/8	1-5/8	137092	13A

K65 Copper Tees Equal Female/Female/Female - 120bar



Tube O.D.(")		HRP Code	Sales Cat
3/8	3/8	137022	13A
1/2	1/2	137024	13A
5/8	5/8	137026	13A
3/4	3/4	137028	13A
7/8	7/8	137030	13A
1-1/8	1-1/8	137032	13A
1-3/8	1-3/8	137034	13A
1-5/8	1-5/8	137114	13A

K65 Copper End Caps - 120 bar



Tube O.D.(")	HRP Code	Sales Cat
1/2	137064	13A
5/8	137066	13A
3/4	137068	13A
7/8	137070	13A
1-1/8	137072	13A
1-3/8	137074	13A
1-5/8	137134	13A

K65 45° Copper Bends Female/Female - 120bar



Tube O.D.(")		HRP Code	Sales Cat
3/4	3/4	137094	13A
7/8	7/8	137096	13A
1-1/8	1-1/8	137098	13A
1-3/8	1-3/8	137100	13A
1-5/8	1-5/8	137102	13A

K65 Copper Tees - Reducing Female/Female/Female - 120 bar



Tube O.D.(")			HRP Code	Sales Cat
1 (")	2 (")	3 (")		
1/2	1/2	3/8	137116	13A
1/2	3/8	3/8	137118	13A
5/8	5/8	3/8	137120	13A
5/8	5/8	1/2	137122	13A
5/8	1/2	1/2	137124	13A
3/4	3/4	5/8	137126	13A
1-1/8	7/8	1/2	137128	13A



Refrigerant & Service Equipment

CO₂ Refrigerant

Refrigerant grade CO₂ (R744) is a high-purity gas with a moisture content of less than 10 parts per million.

Refrigeration CO₂ systems require tight controls on moisture, oil and other impurities. Industrial grade CO₂ does not meet this requirement. The use of CO₂ as a refrigerant dates back to 1850. R744 is now regaining popularity due to its low environmental impact.



Product	Kg Per Cyl.	HRP Code	Sales Cat
R744 (CO ₂) - Vapour	7	238256	23W
R744 (CO ₂) - Vapour	17	238292	23W
R744 (CO ₂) - Vapour	34	238258	23W
R744 (CO ₂) - Liquid	7	238260	23W
R744 (CO ₂) - Liquid	17	238294	23W
R744 (CO ₂) - Liquid	34	238262	23W

CO₂ Refrigerant Fees

No cylinder delivery or collection fees, with cylinder rental free for the first six months.

Item	HRP Code	Sales Cat
Cylinder rental for each month after the first six months	960068	96Z
Lost cylinder 7kg	960526	96Z
Lost cylinder 17kg	960527	96Z
Lost cylinder 34kg	960528	96Z

CO₂ Refrigerant Charging Gauge & Hose Kit

A purpose designed CO₂ charging gauge and hose kit capable of withstanding the extremely high pressures and low temperatures encountered in this operation.



Product	HRP Code	Sales Cat
CO ₂ Charging Manifold & Hose Kit	169934	16G

Blondelle CO₂ Manifolds

- Refrigerant: R744 (CO₂)
- Subcritical: 30 bar & 50 bar
- Transcritical: 80 bar & 160 bar
- Aluminium body
- Unique spindle valves, always tight without effort
- Dry, oil-filled (Ø 80), pulse-free
- Plastic carrying case
- Subcritical: 3 x 1m hoses with 1/4" SAE fittings.
- Transcritical: 3 x 1m hoses, with 1/4" SAE fittings, WP 200 Bar.



Model No	Spec.	Gauge (mm)	Valves	HRP Code	Sales Cat
FR1304-E20	Subcritical	80	2	167863	16C
FR1308-4R-E20	Subcritical	80	4	167867	16C
FR5513-E25	Transcritical	100	2	167865	16C

Electronic CO₂ Refrigerant Leak Detector

The D-TEK CO₂ features include a charging status indicator, sensor failure indication, sensor test mode and rechargeable NiMH (nickel metal hydride) batteries.



Model No	Sensitivity (g/yr)	HRP Code	Sales Cat
716-202-G6	6	167871	16A

Refrigeration Oil for CO₂ Compressors

Reniso C Series Refrigeration oils are based on special synthetic esters, formulated for use in Carbon Dioxide (CO₂) compressors in all fields of industrial and commercial refrigeration. Can be used in sub-critical and transcritical applications. Approved by: Bitzer, Bock, York and GEA (Grasso).



Product	HRP Code	Sales Cat
Fuchs Reniso C55 POE Oil	Special	-
Fuchs Reniso C85 POE Oil	171676	17E
Fuchs Reniso C170 POE Oil	Special	-

Vibration Eliminators

The VS series is based on the proven design of the V series with a few modifications. The VS series is constructed entirely of stainless steel and all joints are tig welded. Consequently there is no need to wet-rag the product during the installation process.



Part No.	Size (ODS)	Length (mm)	M.W.P (bar)	HRP Code	Sales Cat
VS-3/8	3/8"	218	60.0	171863	17C
VS-1/2	1/2"	229	60.0	171865	17C
VS-5/8	5/8"	251	60.0	171867	17C
VS-3/4	3/4"	268	60.0	171869	17C
VS-7/8	7/8"	305	60.0	171871	17C
VS-1-1/8	1 1/8"	332	60.0	171873	17C
VS-1-3/8	1 3/8"	395	60.0	171875	17C
VS-1-5/8	1 5/8"	429	45.0	171877	17C

Also available via the HRP network is the ZEROL RFL-EP range of PAG oil specially developed for CO₂ applications. Available in the following ISO viscosity grades:- RFL 46-EP, RFL 68-EP and RFL 100-EP.

HRP Refrigerant Comparator

Easy to read slide rules for converting imperial & metric temperatures, providing saturated temperature/pressure relationships for various refrigerants.



Model No	Refrigerants	HRP Code	Sales Cat
HRP C6	NH3/Ethane/CO ₂ Care 10/30/40/45/50	174134	17D

Flare Cap with O Ring

1/4" flare SAE heavy duty HEX brass cap with neoprene seal.



Model No	Size	HRP Code	Sales Cat
N5-4OR	1/4" fl	169300	16A

Filter Driers



Sporlan WEU Liquid Line Driers



Model No.	Conn Size	Volume Inch ³	MWP (bar)	HRP Code	Sales Cat
WEU 032S	1/4" ODF	3	45.0	275210	27A
-	-	-	-	-	-
WEU 052S	1/4" ODF	5	45.0	275212	27A
WEU 053S	3/8" ODF	5	45.0	275214	27A
-	-	-	-	-	-
WEU 082S	1/4" ODF	8	45.0	275216	27A
WEU 083S	3/8" ODF	8	45.0	275218	27A
WEU 084S	1/2" ODF	8	45.0	275220	27A
-	-	-	-	-	-
WEU 162S	1/4" ODF	16	45.0	275222	27A
WEU 163S	3/8" ODF	16	45.0	275224	27A
WEU 164S	1/2" ODF	16	45.0	275226	27A
WEU 165S	5/8" ODF	16	45.0	275228	27A
-	-	-	-	-	-
WEU 303S	3/8" ODF	30	45.0	275230	27A
WEU 304S	1/2" ODF	30	45.0	275232	27A
WEU 305S	5/8" ODF	30	45.0	275234	27A
WEU 307S	7/8" ODF	30	45.0	275236	27A
-	-	-	-	-	-
-	-	-	-	-	-

Sporlan Replaceable Filter Core Driers



Model No.	Conn Size	Core Size x Qty	MWP (bar)	HRP Code	Sales Cat
VS 485 HP	5/8" ODF	48 x 1	46.0	Special	-
VS 487 HP	7/8" ODF	48 x 1	46.0	Special	-
VS 489 HP	1-1/8" ODF	48 x 1	46.0	Special	-
VS 4811 HP	1-3/8" ODF	48 x 1	46.0	Special	-
VS 4813 HP	1-5/8" ODF	48 x 1	46.0	Special	-
VS 4817 HP	2-1/8" ODF	48 x 1	46.0	Special	-
-	-	-	-	-	-
VS 967 HP	7/8" ODF	48 x 2	46.0	Special	-
VS 969 HP	1-1/8" ODF	48 x 2	46.0	Special	-
VS 9611 HP	1-3/8" ODF	48 x 2	46.0	Special	-
VS 9613 HP	1-5/8" ODF	48 x 2	46.0	Special	-
VS 9617 HP	2-1/8" ODF	48 x 2	46.0	Special	-

Danfoss DML Liquid Line Driers



Model N°	Conn Size	Volume Inch ³	MWP (bar)	HRP Code	Sales Cat
DML 032S	1/4" ODF	3	42.0	305450	30C
DML 033S	3/8" ODF	3	42.0	305453	30C
-	-	-	-	-	-
DML 052S	1/4" ODF	5	42.0	305452	30C
DML 053S	3/8" ODF	5	42.0	305454	30C
DML 054S	1/2" ODF	5	42.0	305456	30C
-	-	-	-	-	-
DML 082S	1/4" ODF	8	42.0	305458	30C
DML 083S	3/8" ODF	8	42.0	305460	30C
DML 084S	1/2" ODF	8	42.0	305462	30C
DML 085S	5/8" ODF	8	42.0	305463	30C
-	-	-	-	-	-
DML 162S	1/4" ODF	16	42.0	305465	30C
DML 163S	3/8" ODF	16	42.0	305467	30C
DML 164S	1/2" ODF	16	42.0	305469	30C
DML 165S	5/8" ODF	16	42.0	305471	30C
-	-	-	-	-	-
DML 304S	1/2" ODF	30	42.0	305473	30C
DML 305S	5/8" ODF	30	42.0	305475	30C
DML 306S	3/4" ODF	30	42.0	305477	30C
DML 307S	7/8" ODF	30	42.0	305479	30C
DML 309S	1.1/8" ODF	30	42.0	305481	30C

Sporlan VS Line Filter Drier Cores



Model No.	Description	HRP Code	Sales Cat
VS32H	Suction line filter drier	272823	27A
VS48SC	Liquid burn-out drier	272825	27A
VS48H	Standard liquid drier	272809	27A
VS48XH	High moisture (100% molecular sieve)	272827	27A
VS48F	Suction line filter	271918	27A
VS100H	Suction or liquid for 100 series	272833	27A

Sporlan VS Line Shell Internal Parts (Liquid)



Model No.	Description	HRP Code	Sales Cat
ASK-1	VS48	272906	27A
ASK-2	VS96	272914	27A

Sporlan Moisture Indicator Sight Glasses



Part No.	Conn Size	MWP (bar)	HRP Code	Sales Cat
KSGR 2S	1/4" ODF	44.8	270504	27B
KSGR 3S	3/8" ODF	44.8	270512	27B
KSGR 4S	1/2" ODF	44.8	270520	27B
KSGR 5S	5/8" ODF	44.8	270539	27B
KSGR 6S	3/4" ODF	44.8	270547	27B
KSGR 7S	7/8" ODF	44.8	270555	27B
KSGR 9S	1-1/8" ODF	44.8	270563	27B

Danfoss SGP N Moisture Indicator Sight Glasses



Part No.	Conn Size	MWP (bar)	HRP Code	Sales Cat
SGP 6S N	1/4" ODF	52.0	304063	30A
SGP 10S N	3/8" ODF	52.0	304065	30A
SGP 12S N	1/2" ODF	52.0	304067	30A
SGP 16S N	5/8" ODF	52.0	304069	30A
SGP 19S N	3/4" ODF	52.0	304071	30A
SGP 22S N	7/8" ODF	52.0	304073	30A
SGP 28S N	1-1/8" ODF	52.0	304075	30A

Danfoss Stainless Steel Solenoid Valves



Part No.	Conn Size	Operation	MWP (bar)	Danfoss Code	HRP Code	Sales Cat
EVRS 3	3/8" WELD	Direct	50.0	032F3080	Special	-
EVRS 10	1/2" WELD	Servo	50.0	032F3082	Special	-
EVRS 15	3/4" WELD	Servo	50.0	032F3084	Special	-
EVRS 20	1" WELD	Servo	50.0	032F5437	Special	-
EVRS 3	3/8" WELD	Forced servo	50.0	032F3083	Special	-
EVRS 10	1/2" WELD	Forced servo	50.0	032F3085	Special	-
EVRS 15	3/4" WELD	Forced servo	50.0	032F5438	Special	-
EVRS 20	1" WELD	Forced servo	50.0	032F5438	Special	-

Danfoss Solenoid Coils



Type	Voltage (V)	Freq. (Hz)	Power (W)	HRP Code	Sales Cat
Terminal box	12	50	10	301063	30B
Terminal box	24	50	10	301065	30B
Terminal box	48	50	10	301069	30B
Terminal box	115	50	10	301073	30B
Terminal box	220	50	10	301055	30B
Terminal box	240	50	10	301057	30B
Terminal box	380	50	10	301059	30B
Terminal box	420	50	10	301061	30B

Danfoss Ball Valves



Part No.	Conn Size	MWP (bar)	Danfoss Code	HRP Code	Sales Cat
GBC 6S H	1/4" ODF	90.0	009G7415	Special	-
GBC 10S H	3/8" ODF	90.0	009G7416	Special	-
GBC 12S H	1/2" ODF	90.0	009G7417	Special	-
GBC 16S H	5/8" ODF	90.0	009G7418	Special	-
GBC 18S H	3/4" ODF	90.0	009G7419	Special	-
GBC 22S H	7/8" ODF	90.0	009G7420	Special	-

Henry Ball Valves



Part No.	Conn Size	Access Fitting	MWP (bar)	HRP Code	Sales Cat
907202	1/4" ODF	-	48.0	294779	29C
937202	1/4" ODF	Schrader	48.0	298690	29C
907203	3/8" ODF	-	48.0	294781	29C
907204	3/8" ODF	Schrader	48.0	298691	29C
907204	1/2" ODF	-	48.0	294783	29C
907205	1/2" ODF	Schrader	48.0	298692	29C
907205	5/8" ODF	-	48.0	294785	29C
907206	5/8" ODF	Schrader	48.0	298693	29C
907306	3/4" ODF	-	48.0	294787	29C
937306	3/4" ODF	Schrader	48.0	298694	29C
907307	7/8" ODF	-	48.0	294789	29C
937307	7/8" ODF	Schrader	48.0	298695	29C

Electronic & Pressure Relief Valves



Danfoss AKVH EEV



Model No.	Capacity (kW)		MWP (bar)	Danfoss Code	HRP Code	Sales Cat
	Refrigeration	Freezing				
AKVH 10-0	0.4	0.8	90.0	068F4078	Special	-
AKVH 10-1	1.1	2.2	90.0	068F4079	Special	-
AKVH 10-2	1.7	3.5	90.0	305776	305776	30A
AKVH 10-3	2.6	5.4	90.0	305778	305778	30A
AKVH 10-4	4.3	8.7	90.0	068F4082	Special	-
AKVH 10-5	6.7	13.6	90.0	068F4083	Special	-
AKVH 10-6	10.7	21.7	90.0	068F4084	Special	-

Henry 'X' Series PRV



Model No.	Connection		MWP (bar)	HRP Code	Sales Cat
	Inlet	Outlet			
5230AX-xx.x BAR	1/4" NPTF	1/2" SAE flare	46.0	Special	-
5231AX-xx.x BAR	3/8" NPTF	1/2" SAE flare	46.0	Special	-
5231BX-xx.x BAR	1/2" NPTF	5/8" SAE flare	46.0	Special	-
5232AX-xx.x BAR	1/2" NPTF	3/4" SAE flare	23.7	Special	-
5240X-xx.x BAR	1/2" NPTF	3/4" NPTF	23.7	Special	-
5242X-xx.x BAR	3/4" NPTF	3/4" NPTF	23.7	Special	-
5340X-xx.x BAR	1/2" NPTF	3/4" NPTF	23.7	Special	-
5342X-xx.x BAR	3/4" NPTF	3/4" NPTF	23.7	Special	-

xx.x = set pressure

Danfoss Solenoid Coil



Type	Voltage (V)	Freq. (Hz)	Power (W)	Danfoss Code	HRP Code	Sales Cat
Terminal box	208-240	50-60	4	018F6783	Special	-

Danfoss Transducer with Ratiometric Output



Type	Range (bar)	Connection	MWP (bar)	Danfoss Code	HRP Code	Sales Cat
AKS 2050	-1 to 59	3/8" BSP	100.0	060G5750	Special	-
Connecting plug with 5m cable				060G1034	305335	30D

Danfoss Room & Case Controller



Type	Danfoss Code	HRP Code	Sales Cat
AK-CC550 Controller	084B8020	306468	30A
EKA 175 Communications module (LON RS485)	084B8579	Special	-
AKS32R transducer -1 to 12 bar	060G1036	305207	30D
Connecting plug with 5m cable	060G1034	305335	30D
AKS11 Temperature sensor 3.5m (Pipe)	084B0003	Special	-
AKS11 Temperature sensor 5.5m (Pipe)	084B0005	Special	-
AKS21A Temperature sensor 2.5m (Surface / Air)	084N2007	305820	30A
AKS21A Temperature sensor 5.0m (Surface / Air)	084N2008	305818	30A



CO2 COMPATIBLE PARTS LIST (R744)

HRP Limited - Head Office

Tel: 01359 270 888
headoffice@hrponline.co.uk

HRP Group Technical Centre

Tel: 01753 495 700
training@hrponline.co.uk

3D Air Sales Ltd.

Tel: 01753 495 720
sales@3dair.co.uk

HRP OEM & Export Services

Tel: 01359 272221
oem.sales@hrponline.co.uk

HRP Limited - Bedford

Unit B6
Manton Centre
Manton Lane
Bedfordshire
MK41 7PX
Tel: 0845 3192826
Fax: 0845 3192827
bedford@hrpltd.co.uk

HRP Limited - Fareham (Southampton)

Unit 2
Stephenson Road
Segensworth
Fareham
Hampshire
PO15 5RU
Tel: 0845 3192828
Fax: 0845 3192829
fareham@hrpltd.co.uk

HRP Limited - Merton

Unit 2
Saxon Business Centre
Windsor Avenue
Merton
London
SW19 2RR
Tel: 0845 3192830
Fax: 0845 3192831
merton@hrpltd.co.uk

HRP Limited - Slough

159 Edinburgh Avenue
Slough Trading Estate
Slough
Berkshire
SL1 4UE
Tel: 0845 319 2800
Fax: 0845 319 2801
slough@hrpltd.co.uk

HRP Limited - Birmingham

Unit 16 & 17
Fulford Drive
Minworth Industrial Park
Sutton Coldfield
West Midlands
B76 1DR
Tel: 0845 3192812
Fax: 0845 3192813
birmingham@hrpltd.co.uk

HRP Limited - Glasgow

140 St. Andrew's Road
Pollokshields
Glasgow
G41 1PP
Tel: 0845 3192820
Fax: 0845 3192821
glasgow@hrpltd.co.uk

HRP Limited - Newcastle

Unit K4
Hamar Close
Tyne Tunnel Trading Estate
North Shields
Tyne & Wear
NE29 7XB
Tel: 0845 3192822
Fax: 0845 3192823
newcastle@hrpltd.co.uk

HRP Limited - Swanley

Teardrop Centre
London Road
Swanley
Kent
BR8 8TJ
Tel: 0845 3192800
Fax: 0845 3192801
swanley@hrpltd.co.uk

HRP Limited - Bristol

Unit 100
Quadrant Industrial Estate
Ash Ridge Road
Bradley Stoke
Bristol
BS32 4QA
Tel: 0845 3192814
Fax: 0845 3192815
bristol@hrpltd.co.uk

HRP Limited - Head Office

Rougham Industrial Estate
Rougham
Bury St Edmunds
Suffolk
IP30 9XA
Tel: 01359 270888
Fax: 01359 271770
rougham@hrpltd.co.uk

HRP Limited - Norwich

4/6 Murrayfield Road
Fifers Lane
Norwich
Norfolk
NR6 6NQ
Tel: 0845 3192816
Fax: 0845 3192817
norwich@hrpltd.co.uk

HRP Limited Walthamstow

Unit 12
Waltham Park Way
Walthamstow
London
E17 5DU
Tel: 0845 3192800
Fax: 0845 3192801
walthamstow@hrpltd.co.uk

HRP Limited Bury St Edmunds

Rougham Industrial Estate
Bury St Edmunds
Suffolk
IP30 9XA
Tel: 0845 3192832
Fax: 0845 3192833
rougham@hrpltd.co.uk

HRP Limited - Leeds

Unit 1 Aintree Court
Hunslet Business Park
National Road
Leeds
West Yorkshire
LS10 1TF
Tel: 0845 3192822
Fax: 0845 3192823
leeds@hrpltd.co.uk

HRP Limited - Sheffield

Unit 2 Brightside
443 Brightside Lane
Sheffield
South Yorkshire
S9 2RS
Tel: 0845 3192818
Fax: 0845 3192819
sheffield@hrpltd.co.uk

HRP Limited - Warrington

5 Rivington Court
Hardwick Grange
Warrington
Cheshire
WA1 4RT
Tel: 0845 3192824
Fax: 0845 3192825
warrington@hrpltd.co.uk

**Call your local
HRP Service
Centre today**

Better by degrees